

<b>Name</b>	<b>Faktis AN</b>	
<b>Description</b>	brown sulphur factice	
<b>Composition</b>	modified fatty oils cross-linked with sulphur, with 15% mineral oil	
<b>Appearance</b>	dark brown lumps	
<b>Analytical values</b>		
Total sulphur [%]	DIN 51724-3	12.5 – 15.5
Free sulphur [%]	Auler method	1.5 – 2.5
Acetone extract [%]	DIN ISO 1407	approx. 42
Ash, 2 h at 950 °C [%]	DIN EN ISO 3451-1	max. 1.5
Density at 20 °C [g/cm <sup>3</sup> ]	DIN ISO 787 part 10 A	1.0
<b>German Food Legislation (BfR recommendation XXI)</b>	not approved	
<b>US Code of Federal Regulations, FDA - CFR Title 21, Part 177.2600</b>	not listed	
<b>Supply Form</b>	25 kg in PE-bags	
<b>Storage Stability</b>		
In originally sealed package in cool and dry places	min. 12 months	
<b>Application</b>		
	<ul style="list-style-type: none"> <li>• For black articles based on general purpose rubbers</li> <li>• Very good compatibility with OE-SBR</li> </ul>	

Any technical consultation provided by us merely constitutes a guideline without any committal - even with regard to any third party's rights - and will not dispense from the client's examination of the products supplied by us. Processing operations, application and use of our products will be the client's exclusive responsibility. We guarantee the faultless quality of our goods, as defined in our General Terms of Sale and Delivery.

Valid from January 1<sup>st</sup> 2017